

# 15 : Bridge tension cylinders-JB

**TÜV** ISO-9001 : 2000 quality certified

Bridge tension cylinders




## ■■■ Index ■■■

1.JB model & order form.....	P15.2
2.JB external dimensions.....	P15.3
3.JB accessories.....	P15.5

JB models



	model	output force(ton)	bore (mm)	page
	JB-110	110	180	P15.2
	JB-200	200	255	
	JB-300	300	300	
	JB-400	400	360	P15.5
	JB-500	500	400	
	JB-700	700	480	

Bridge tension cylinders


Order form

JB — 300 × 250ST  
 ①                      ②

JB : Bridge tension cylinders		
①	output force ( ton )	110,200,300,400,500,700
②	stroke(mm)	see the standard stroke in the dimension table (P15.3)

External dimensions


Bridge tension cylinders




notation model	A	B	D	L	bore(mm)	pressed area(cm <sup>2</sup> )	stroke(mm)
JB-110	90	50	230	477	180	159	200
JB-200	115	60	310	537	255	356	250
JB-300	145	71	365	568	300	479	250
JB-400	165	71	435	602	360	703	250
JB-500	185	71	490	668	400	876	250
JB-700	220	71	590	722	480	1277	250

**JB accessories**


**■ pulling plate**

	JB-110	JB-200	JB-300	JB-400	JB-500
	4T13	7T13	12T13	19T13	19T13
	7T13	12T13	19T13	22T13	27T13
	4T15	4T15 7T15	12T15	15T15 19T15	31T13 19T15 22T15

**■ holding plate**

	JB-110	JB-200	JB-300	JB-400	JB-500
	4T13	7T13	12T13	19T13	19T13
	7T13	12T13	19T13	22T13	27T13
	4T15	4T15 7T15	12T15	15T15 19T15	31T13 19T15 22T15


**■ wire plate**

	JB-110	JB-200	JB-300	JB-400	JB-500
	4T13	7T13	12T13	19T13	19T13
	7T13	12T13	19T13	22T13	27T13
	4T15	4T15 7T15	12T15	15T15 19T15	31T13 19T15 22T15


Bridge tension cylinders

JB accessories

■ MG stopping block

	JB-110	JB-200	JB-300	JB-400	JB-500
	4T13	7T13	12T13	19T13	19T13
	7T13	12T13	19T13	22T13	27T13
	4T15	4T15	12T15	15T15	31T13
		7T15		19T15	19T15
					22T15

■ TK bushing block

	JB-110	JB-200	JB-300	JB-300	JB-500
	—	12T13	12T13	19T13	19T13
			19T13	22T13	27T13
				19T15	19T15
					22T15